8 port gigabit switch for DIN rail



Schneid GesmbH | Gewerbering 16 | A-8054 | Graz/Pirka | Tel: +43 (316) 285022

Products, data sheets, documentation, MR12-SCHEMA-calculator: www.schneid.at

8 port gigabit switch for DIN rail

Supply 24VDC

Order number: 500.13833

Order code: 8 Port Gigabit Switch für Hutschienenmontage



Das Bild kann vom tatsächlichen Produkt abweichen.

Overview:

The Ethernet Switch 8-Port supports IEEE 802.3/802.3u/802.3x with 10/100M full/half-duplex MDI/MDIX autosensing RJ45 ports. It can operate in temperatures from -10 to 60°C and is robust enough for harsh industrial environments. The switches can easily be installed on a DIN rail as well as in junction boxes. DIN rail mounting, high operating temperature, and IP30 housing with LED indicators make the plug-and-play switches easy to use and reliable.

Scope of delivery:

8 port gigabit switch for DIN rail mounting

Technical specifications:	
Intrastat Number	8517.62.00
Country of origin	EU/AT
Height, width, depth (in mm)	40x100x86.5
Weight in (in kg)	0,170
Operating temperature	-10°C to +60°C
Supports	IEEE802.3/802.3u/802.3x
Supply	24 VDC
Overload protection	2,5 A bei 24 VDC
Degree of protection	IP30
Connection	3-contact removable terminal block
Relative humidity	5 to 95% (non-condensing)

© Schneid GesmbH Page 1

^{*}For the specifications of our current products, please contact our hardware department.